Montana Board of Oil and Gas Conservation Environmental Assessment

Operator: Oasis Petroleum North America LLC

Well Name/Number: McCracken 2758 34-9 #3B and #4B

Air Quality possible concerns) ong drilling time: No, 30-40 days drilling time/well. Junusually deep drilling (high horsepower rig):Triple derrick drilling rig to drill 2 single lateral forizontal Bakken Formation wells. Possible H2S gas production:Yes, slight H2S possible. Annear Class I air quality area:No Class I air quality area nearby. Air quality permit for flaring/venting (if productive):Yes, DEQ air quality permit required under 75-2- 11
possible concerns) ong drilling time: No, 30-40 days drilling time/well. Junusually deep drilling (high horsepower rig):Triple derrick drilling rig to drill 2 single lateral orizontal Bakken Formation wells. Possible H2S gas production:Yes, slight H2S possible. In/near Class I air quality area:No Class I air quality area nearby. Air quality permit for flaring/venting (if productive):Yes, DEQ air quality permit required under 75-2- II.
possible concerns) ong drilling time: No, 30-40 days drilling time/well. Junusually deep drilling (high horsepower rig):Triple derrick drilling rig to drill 2 single lateral orizontal Bakken Formation wells. Possible H2S gas production:Yes, slight H2S possible. In/near Class I air quality area:No Class I air quality area nearby. Air quality permit for flaring/venting (if productive):Yes, DEQ air quality permit required under 75-2- II.
Jusually deep drilling (high horsepower rig):Triple derrick drilling rig to drill 2 single lateral lorizontal Bakken Formation wells. Jossible H2S gas production: _Yes, slight H2S possible. In/near Class I air quality area: _No Class I air quality area nearby. Air quality permit for flaring/venting (if productive): _Yes, DEQ air quality permit required under 75-2-11. Mitigation:X Air quality permit (AQB review) _X Gas plants/pipelines available for sour gasSpecial equipment/procedures requirementsOther: _Comments: _Existing pipeline for H2S gas in the area. Water Quality (possible concerns) Balt/oil based mud: _Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud system. High water table: _No high water table anticipated. Burface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to dittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: _No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100°. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742° and steel surface casing will be run and cemented to surface to protect groundwater.
Unusually deep drilling (high horsepower rig):Triple derrick drilling rig to drill 2 single lateral porizontal Bakken Formation wells. Possible H2S gas production:Yes, slight H2S possible. In/near Class I air quality area:No Class I air quality area nearby. Air quality permit for flaring/venting (if productive):Yes, DEO air quality permit required under 75-2-11. Mitigation:X Air quality permit (AQB review)X Gas plants/pipelines available for sour gas Special equipment/procedures requirements Other: Comments:Existing pipeline for H2S gas in the area. Water Quality (possible concerns) Salt/oil based mud:Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. Bigh water table:No high water table anticipated. Furface drainage leads to live water:Yes, closest drainage is an unnamed ephemeral tributary drainage to dutheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination:No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100°. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742° and steel surface casing will be run and cemented to surface to protect groundwater.
Possible H2S gas production: Yes, slight H2S possible. Innear Class I air quality area: No Class I air quality area nearby. In quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required under 75-2- III. Mitigation: X Air quality permit (AQB review) X Gas plants/pipelines available for sour gas Special equipment/procedures requirements Other: Comments: Existing pipeline for H2S gas in the area. Water Quality (possible concerns) Falt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. Igh water table: No high water table anticipated. Furface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to intermediate drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
Possible H2S gas production: Yes, slight H2S possible. In/near Class I air quality area: No Class I air quality area nearby. Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required under 75-2-11. Mitigation: X Air quality permit (AQB review) X Gas plants/pipelines available for sour gas Special equipment/procedures requirements Other: Comments: Existing pipeline for H2S gas in the area. Water Quality (possible concerns) Falt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. Figh water table: No high water table anticipated. Furface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to dittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
n/near Class I air quality area: No Class I air quality area nearby. Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required under 75-2- 11. Mitigation: X Air quality permit (AQB review) X Gas plants/pipelines available for sour gas Special equipment/procedures requirements Other: Comments: Existing pipeline for H2S gas in the area. Water Quality (possible concerns) alt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to aittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
Mitigation: _X Air quality permit (AQB review) _X Gas plants/pipelines available for sour gas _ Special equipment/procedures requirements _ Other: _ Comments: Existing pipeline for H2S gas in the area. Water Quality (possible concerns) Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud yestem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to dittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water vells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
Mitigation: X Air quality permit (AQB review) X Gas plants/pipelines available for sour gas Special equipment/procedures requirements Other: Comments: Existing pipeline for H2S gas in the area. Water Quality (possible concerns) Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud yestem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to aittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
Mitigation: _X Air quality permit (AQB review) _X Gas plants/pipelines available for sour gasSpecial equipment/procedures requirementsOther:Comments: Existing pipeline for H2S gas in the area. Water Quality (possible concerns) Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to cittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
X Air quality permit (AQB review)X Gas plants/pipelines available for sour gas Special equipment/procedures requirements Other: Comments: Existing pipeline for H2S gas in the area. Water Quality (possible concerns) Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to cittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
X Gas plants/pipelines available for sour gas Special equipment/procedures requirements Other: Comments: Existing pipeline for H2S gas in the area. Water Quality (possible concerns) Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to aittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
Special equipment/procedures requirements Other: Comments: Existing pipeline for H2S gas in the area. Water Quality (possible concerns) Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to be outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
Comments: Existing pipeline for H2S gas in the area. Water Quality (possible concerns) Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to cittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
Water Quality (possible concerns) Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to cittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
Water Quality (possible concerns) Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to cittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100°. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742° and steel surface casing will be run and cemented to surface to protect groundwater.
(possible concerns) Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to attle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100°. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742° and steel surface casing will be run and cemented to surface to protect groundwater.
(possible concerns) Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to attle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100°. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742° and steel surface casing will be run and cemented to surface to protect groundwater.
Salt/oil based mud: Yes to oil based invert drilling fluids for intermediate casing hole. Horizontal hole will be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to cittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100°. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742° and steel surface casing will be run and cemented to surface to protect groundwater.
vill be drilled with saltwater. Surface casing hole will be drilled with freshwater and freshwater mud ystem. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to cittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100°. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742° and steel surface casing will be run and cemented to surface to protect groundwater.
High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to cittle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
High water table: No high water table anticipated. Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to attle Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100°. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742° and steel surface casing will be run and cemented to surface to protect groundwater.
Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to Little Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100°. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742° and steel surface casing will be run and cemented to surface to protect groundwater.
Little Muddy Creek which is a tributary to the Missouri River. The Missouri River is about 3.5 miles to the outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Water well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
outheast from this location. Within this unnamed ephemeral drainage is a stock pond. Vater well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
Vater well contamination: No, closest water well is about 3/4 a mile to the northeast. Depth of the water wells is about 100°. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742° and steel surface casing will be run and cemented to surface to protect groundwater.
wells is about 100'. The proposed oil wells will be drilled with freshwater and freshwater mud to 1,742' and steel surface casing will be run and cemented to surface to protect groundwater.
nd steel surface casing will be run and cemented to surface to protect groundwater.
, ,
orolls/permeable soils: No. sandy silfy clay soils.
Class I stream drainage: No, Class I stream drainages.
Mitigation:
X Lined reserve pit
X Adequate surface casing
Berms/dykes, re-routed drainage
Closed mud system
Off-site disposal of solids/liquids (in approved facility)
Other:
Comments: 1,742' surface casing will be drilled with freshwater, steel casing will be run and
emented back to surface, to protect freshwater zones in adjacent water wells. Also, covering Fox Hills
quifer. Adequate surface casing and BOP equipment to prevent problems.

Soils/Vegetation/Land Use

(possible concerns) Steam crossings: Crossing only ephemeral drainages. High erosion potential: No, location will require a moderate cut of up to 18.8' and a moderate fill of up to 12.2', required. Loss of soil productivity: No, location to be restored after drilling, if nonproductive. If productive unused portion of this drillsite will be reclaimed. Unusually large wellsite: Yes, a large well site to accommodate multiple wells. Damage to improvements: Slight surface use appears to be cultivated land. Conflict with existing land use/values: Slight Mitigation __ Avoid improvements (topographic tolerance) __ Exception location requested X Stockpile topsoil __ Stream Crossing Permit (other agency review) X Reclaim unused part of wellsite if productive __ Special construction methods to enhance reclamation X Other Requires DEQ General Permit for Storm Water Discharge Associated with Construction Activity, under ARM 17.30.1102(28). Comments: Access will be over county road, South Bainville Road farm roads. New access road will be extended into this location from the existing road. Oil based invert drilling fluids will be recycled. Completion fluids will hauled to a commercial Class II disposal. Cuttings and solids will be buried/solidified on site in the lined reserve pit. The pit will be allowed to dry and the pit backfilled. No concerns. Health Hazards/Noise (possible concerns) Proximity to public facilities/residences: Nearest residence is over a mile to the south from this location. The Town of Bainville, MT about 2.25 miles to the north from this location. Possibility of H2S: Yes, slight. Size of rig/length of drilling time: Triple drilling rig 30 to 40 days drilling time. Mitigation: _X Proper BOP equipment __ Topographic sound barriers __ H2S contingency and/or evacuation plan __ Special equipment/procedures requirements __ Other: Comments: Adequate surface casing cemented to surface with working BOP stack should mitigate any problems. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified. Proximity to recreation sites: None identified. Creation of new access to wildlife habitat: No Conflict with game range/refuge management: No Threatened or endangered Species: Species identified as threatened or endangered are the Pallid Sturgeon, Interior Lease Tern, Whooping Crane and Piping Plover. Candidate species is the Sprague's Pipit. NH tracker website indicates species of concern are the Great Blue Heron, Piping Plover, Bobolink

Mitigation:

and Least Tern, these birds are migratory.

__ Avoidance (topographic tolerance/exception)

__ Other agency review (DFWP, federal agencies, DSL)

Screening/fencing of pits, drillsite Other:
Comments: Private surface land, cultivated. Closest live water in the immediate area is a stock
pond. No concerns.
Historical/Cultural/Paleontological
(possible concerns) Provincity to Impoundation None identified
Proximity to known sites: None identified. Mitigation
avoidance (topographic tolerance, location exception)
other agency review (SHPO, DSL, federal agencies)
Other:
Comments: Private cultivated surface land. No concerns.
Social/Economic
(possible concerns) Substantial effect on tax base
Create demand for new governmental services
Population increase or relocation
Comments: Wildcat well. No concerns
Remarks or Special Concerns for this site
Two single lateral horizontal Bakken Formation test.
Summary: Evaluation of Impacts and Cumulative effects
No long term impacts expected, some short term impacts will occur, but can be mitigated.
I conclude that the approval of the subject Notice of Intent to Drill (does/ <u>does not</u>) constitute a major action of state government significantly affecting the quality of the human environment, and (does/ <u>does not</u>) require the preparation of an environmental impact statement.
Prepared by (BOGC):/s/Thomas Richmond
(title:) Administrator
Date: October 21, 2013
Other Persons Contacted:
Montana Bureau of Mines and Geology, GWIC website
(Name and Agency)
Roosevelt County water wells
(subject discussed)

October 21, 2013
(date)
US Fish and Wildlife, Region 6 website
(Name and Agency)
ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA
COUNTIES, Roosevelt County, Montana
(subject discussed)
October 21, 2013
If location was inspected before permit approval:
Inspection date:
Inspector:
Others present during inspection: